# Role of Heparin in Arterial Line Flushing Solution on Platelet Count and Indwelling Arterial Catheter Patency after Cardiac Valvular Surgery

Md. Anwar Hossain<sup>1</sup>, Mohammad Jahangir Alam<sup>2</sup>, Razia Begum<sup>3</sup>, Rampada Sarker<sup>4</sup>, Imran Ahmed<sup>5</sup>, Md. Mohashin Reza<sup>5</sup>

#### Abstract:

Background: Heparin can cause thrombocytopenia but what is it's effect on platelet when used in solution for flushing indwelling arterial catheter is not clear. This study was designed to find out any effect of heparin on platelet count and to see the efficacy of normal solution as flushing solution.

Method:This was a prospective randomized comparative clinical trial in the Department of Cardiovascular Surgery of National Institute of Cardiovascular Diseases Hospital, Sher-e-Banglanagar, Dhaka,Bangladesh during the period from july 2016 to june 2017. Total sixty patients who underwent single valve replacement surgery were divided into two groups and were evaluated for heparin effect and compared for arterial catheter patency rate.

Results: Platelet count on third postoperative day is 226517+- 60185/ml and 245957+-52826/ml in heparinized

flush solution and normal saline flush solution group respectively. The difference of mean is not significant with p value 0.188. Arterial catheter patency rate was 50.0% in heparinized flush solution group and 43.3% in normal saline flush solution group on third postoperative day which signifies no difference between the groups with p value 0.607.

Conclusion: The use of heparin in normal saline in continuous flushing devices for an arterial catheter does not significantly reduce platelet counts in cardiac valve surgery patients in comparison to normal saline. It seems that there is no difference in the use of heparinized and normal saline solutions to maintain indwelling arterial catheter patent.

Key words: Heparin, Platelets, Cardiac Surgical Procedures.

(Bangladesh Heart Journal 2018; 33(1): 61-66)

## Introduction:

Heparinized saline solution is used to prevent occlusion in the arterial catheters and central venous pressure monitoring catheters. Even at low dose, heparin administration can be associated with serious complications. Normal saline solution can maintain patency of arterial catheters and central venous pressure monitoring catheters.<sup>1</sup>

Arterial catheters are widely used in intensive care unit for continuous haemodynamic monitoring and frequent assessment of arterial blood gas analysis. Arterial catheters

- 1. Registrar, Department of Cardiac Surgery, National Institute of Cardiovascular Diseases, Dhaka, Bangladesh.
- 2. Assistant Professor, Department of Cardiac Surgery, National Institute of Cardiovascular Diseases, Dhaka, Bangladesh.
- 3. Junior Consultant (Gynae and Obstetrics), OSD (DGHS), Attachment- Comilla General Hospital, Comilla, Bangladesh.
- 4. Professor of Cardiac Surgery, National Institute of Cardiovascular Diseases, Dhaka, Bangladesh.
- 5. Assistant Registrar, Department of Cardiac Surgery, National Institute of Cardiovascular Diseases, Dhaka, Bangladesh.

Address of Correspondence: Dr. Mohammad Jahangir Alam, Room No. 322, Middle Block, National Institute of Cardiovascular Diseases, Shere-Banglanagar, Dhaka, Bangladesh. Mobile: +8801911517410, E-mail: jahangircts@gmail.com.

DOI: http://dx.doi.org/10.3329/bhj.v33i1.37027

Copyright © 2017 Bangladesh Cardiac Society. Published by Bangladesh Cardiac Society. This is an Open Access articles published under the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC). This license permits use, distribution and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.

including radial, brachial, femoral, dorsalis pedis and axillary artery are used in the intensive care unit for continuous blood pressure monitoring, repeated blood sampling, and when there is inability to measure indirect blood pressure.<sup>2</sup> Invasive arterial blood pressure measurements are more accurate.<sup>3</sup> Flush system is used to maintain patency of arterial catheter. For this purpose, heparinized solution or normal saline should be used. Heparinized solution is used to prevent occlusion in these catheters. Heparin is an anticoagulant drug used to prevent and treat thrombosis.<sup>4</sup> Unfractionated heparin is a standard anticoagulant that affects multiple sites of internal and external coagulatory system and inhibits blood clotting.5 Heparin administration can be associated with serious complications. It has a number of drug interactions, as well as potentially serious side effects. Heparin, even with low dose, can cause thrombocytopenia and bleeding.<sup>6</sup> The absolute risk of heparin-induced thrombocytopenia (HIT) with unfractionated heparin is 1%-5%.7 Normal or isotonic saline has sodium and chloride concentrations of 154 mEq/L.<sup>8</sup> Normal saline solution can maintain patency of arterial and central venous pressure monitoring catheters. Heparinized solutions had no effect on prolonging patency and improving function of catheters and even caused changes in activated partial thromboplastin time (APTT) while the normal saline solution increases accuracy of coagulatory tests. Use of normal saline solution prevents patient exposure to the risks associated with heparinized solution and thus increase patient safety.9

Normal saline should be used as an alternative to heparin in arterial line and central-venous catheters. Low-dose heparin (1U/ml) should be added to the infusion set to maintain patency of arterial catheters. Extra precautionary measures must be taken when heparin therapy in instituted. Nurses and other healthcare professionals need to be reeducated on the side effects and complications of heparin therapy in order to prevent unnecessary complications and to provide safe and effective .<sup>10</sup>

Thrombocytopenia define as a drop in platelet count by 30% to <100×10<sup>9</sup>/l or a drop of >50% from the patient's baseline platelet count.<sup>11</sup> Heparin induce thrombocytopenia is defined as a decrease in platelet count during or shortly following exposure to heparin.<sup>12</sup> HIT is the most important and most frequent drug-induced type of thrombocytopenia. It is associated with significant morbidity and mortality if unrecognized. Despite thrombocytopenia, bleeding is rare, rather HIT is strongly associated with thromboembolic complications involving both the arterial and venous system. The risk of HIT is high with prolonged use of heparin for post-operative thromboprophylaxis. However, case studies have also demonstrate the possibility of developing HIT with minimal heparin exposure via intravascular flushes to maintain the patency of indwelling arterial or venous catheter.<sup>13</sup>

## Methods:

This prospective randomized comparative clinical trial was conducted in the Department of Cardiac surgery, National Institute of Cardiovascular Disease (NICVD), Sher-E-Bangla Nagar, Dhaka, Bangladesh from July 2016 to June 2017. This study included sixty patients who underwent single valve replacement surgery, either MVR or AVR and shifted to the intensive care unit with arterial line catheter. The inclusion criteria for the study included 18-60 years of age, time passed from the insertion of catheter less than 6 hours, usage of arterial line extension catheters with 20 cm, 20 gauze size, patient's blood platelet of 150000 or above, PT (Prothrombin Time) of 11-12.5 seconds, PTT (Partial Thromboplastin time) in the range of 35-45 seconds. The patients having risk of bleeding, known hypersensitivity to heparin, requiring therapeutic heparin and TPN (Total Parenteral Nutrition) during study was excluded from the study. Sampling was performed by random sampling method using random numbers generated by MS Excel software's RANDBETWEEN Function The participants were divided into two groups, one without heparin and other with heparin in normal solution. In the heparinized group, heparin (ROTEXMEDICA, TRITTAU, GERMANY) with the product number of 40124 was used. The solution was prepared by a 1000 IU of heparin added to a half liter of normal saline; hence each milliliter of the prepared solution contained 2 IU of heparin. 3 mL of the heparin solution was used for each flush. In normal saline group patients, 3 mL 0.9% sodium chloride will be used for each flush. Patients were unaware of the used method. Catheters were examined for blood return and flushing every hour using patients medical data sheets. Arterial catheter was remain upto 72 hours. During the examination of catheters, all patients were lying on their backs. If flushing or taking blood sample from the catheter was not possible, it was considered non-functional and removed. Platelet count was measured manually preoperative, post pump and daily for 4 postoperative days then on 7<sup>th</sup> and 14<sup>th</sup> postoperative days. The maximum time of study was 14th days and the collected data during the first 4 days were recorded every four hours in the previously prepared checklist. At the end of 1<sup>st</sup> week and 2<sup>nd</sup> week platelet count were recoded and whole data were analyzed by SPSS software version 23. In this study for describing the features of research units, descriptive statistics (mean, standard deviation and distribution frequency) was used. For analyzing the data, Kaplan Meier survival analysis, log rank test and Cox regression was performed and for comparing the ratios, the Chi-square test was used. p < 0.05 was considered significant.

The statistical package for the social science program (SPSS-22.0 Inc) was used to evaluate all data. The tests statistics were used to analyze the data are student's t test. The qualitative data were presented as frequency with

corresponding percentage. For all analytic test s, the level of significance was set at 0.05 and a p value of <0.05 was considered significant. The summarized data were presented in the form of tables and charts.

#### **Results:**

Table-1 shows that patients maximum patients within 31-40 years in both groups. The mean age of Group-A was 36.3 yrs and that of Group –B was 35.7±10.3 years. The mean difference between the two groups was not statistically significant.

Distribution of patients by age $(n=60)$			
Age (years)	Group		p value
	Group-A (n=30)	Group-B (n=30)	
	No. (%)	No. (%)	
< 20	0(0.0%)	3(10.0%)	
21-30	7(23.3%)	5(16.7%)	
31-40	13(43.3%)	13(43.3%)	
41-50	10(33.3%)	6(20.0%)	
51-60	0(0.0%)	3(10.0%)	
Total	30(100.0%)	30(100.0%)	
Mean±SD	36.3±6.7	35.7±10.3	0.790 <sup>ns</sup>

 Table-I

 Distribution of patients by age (n=60)

Group-A: Heparinized flush solution group

Group-B: Normal saline group

Data were analysed using Student's t-test and were presented as mean  $\pm \mbox{ SD}$ 

Table-II shows that females were predominant in both Group. 60.0% patients were female in Group A and 63.3% in Group B. There is no significant difference between the groups in respect to sex (p = 0.790).

Table-II			
Comparison of patients by sex between			
Group-I and Group-II			

Genders	Group		p value
	Group-A (n=30)	Group-B (n=30)	
	No. (%)	No. (%)	
Male	12(40.0%)	11(36.7%)	0.790
Female	18(60.0%)	19 (63.3%)	
Total	30(100.0%)	30(100.0%)	

Group-A: Heparinized flush solution group

Group-B: Normal saline group

Chi square test was done to analyze the Data. Degree of freedom  $\left(df\right)$  =1

Figure in the parenthesis denoted corresponding percentage.

#### Name of operation

Table-III shows type of operation, maximum 73.3% cases had MVR in Group A and 56.7% in Group B. AVR were 26.7% in Group A and 43.3% in Group B. No significant difference between two groups.

Table-III			
Distribution of the study by name of operation			

Name of	Group		p value
operation	Group-A (n=30)	Group-B (n=30)	
	No. (%)	No. (%)	
MVR	22(73.3%)	17(56.7%)	0.175
AVR	8(26.7%)	13 (43.3%)	
Total	30(100.0%)	30(100.0%)	

Group-A: Heparinized flush solution group

Group-B: Normal saline group

Chi square test was done to analyze the Data. Degree of freedom (df) =1 Figure in the parenthesis denoted corresponding percentage.

#### Platelet count

Table-IV showed comparison of platelet count between two groups. There is no statistically significant difference

#### Table-IV

Platelet count	Group-A (n=30)Mean±SD	Group-B (n=30)Mean±SD	P value
Pletelet count pre operative	247583±55675	235813±54708	0.412 <sup>ns</sup>
Pletelet count post pump	215883±58210	222580±52422	0.633 <sup>ns</sup>
Pletelet count 1 <sup>st</sup> POD	206530±64441	212543±48768	0.685 <sup>ns</sup>
Pletelet count 2 <sup>nd</sup> POD	208363±58003	222177±55580	0.350 <sup>ns</sup>
Pletelet count 3 <sup>rd</sup> POD	226517±60185	245957±52826	0.188 <sup>ns</sup>
Pletelet count 4 <sup>th</sup> POD	241217±57558	258190±55012	0.247 <sup>ns</sup>
Pletelet count 7 <sup>th</sup> POD	240517±57379	257713±53655	0.236 <sup>ns</sup>
Pletelet count 14 <sup>th</sup> POD	245850±52680	244337±56796	0.915 <sup>ns</sup>

Comparison of platelet count in two groups in different POD.

Group-A: Heparinized flush solution group

Group-B: Normal saline group

Data were analysed using Student's t-test and were presented as mean ± SD

between Group A and Group B at preoperative period, post pump, 1<sup>st</sup> POD, 2<sup>nd</sup> POD, 3<sup>rd</sup> POD, 4<sup>th</sup> POD, 7<sup>th</sup> POD and 14<sup>th</sup> POD (p >0.05).

## **Arterial line**

Table-V shows arterial line patency in study patients. 100% patients had arterial line patent in 1<sup>st</sup> POD in both groups. In 2<sup>nd</sup> POD 86.8% patients had patency in Group A and 76.7% in Group B. At 3<sup>rd</sup> POD 50.0% patients had patency in Group A and 43.3% patients in Group B. No significant difference between two groups (p> 0.05).

Table-V
Distribution of the study by arterial line

Arterial line	Group		p value
	Group-A (n=30) No. (%)	Group-B (n=30) No. (%)	
1 <sup>st</sup> POD	30(100.0%)	30(100.0%)	1.000 <sup>ns</sup>
2 <sup>nd</sup> POD 3 <sup>rd</sup> POD	26(86.7%) 15(50.0%)	23 (76.7%) 13(43.3%)	0.316 <sup>ns</sup> 0.607 <sup>ns</sup>

Group-A: Heparinized flush solution group

Group-B: Normal saline group

Chi square test was done to analyze the Data. Figure in the parenthesis denoted corresponding percentage.

#### Hospital stay and ICU stay

Table showed that mean hospital stay and ICU stay were not significant difference between Group A and Group B (p>0.05).

Table-VI			
Comparison of hospital stay between two groups			

Hospital stay	Group-A	Group-B	p-value
	(n=30)	(n=30)	
	Mean±SD	Mean±SD	
Hospital stay	11.41±3.12	12.14±3.69	0.411 <sup>ns</sup>
ICU stay	5.63±2.23	4.64±2.47	0.108 <sup>ns</sup>

Group-A: Heparinized flush solution group

Group-B: Normal saline group

Data were analysed using Student's t-test and were presented as mean  $\pm$  SD

#### **Discussion:**

This study found no statistically significant difference between heparinized flush solution group and normal saline group at preoperative period, post pump, 1<sup>st</sup> POD, 2<sup>nd</sup> POD, 3<sup>rd</sup> POD, 4<sup>th</sup> POD, 7<sup>th</sup> POD and 14<sup>th</sup> POD (p >0.05) on platelet counts. Over time for individual patients who had arterial lines for 4 days or longer, Counts showed an early decline and then recovery to normal levels in both the heparinized and normal saline groups. The parallel study done by Hall *et al* comparing arterial catheter line in the two groups showed no difference at the 95% confidence interval using the central limit theorem.<sup>14</sup> Sixty-five patients were recruited over 8 months: 35 in the normal saline group and 30 in the heparinized saline group. The mean platelet count was  $256.6 \times 10^9/L$  for the heparinized saline group, compared with  $234.6 \times 10^9/L$  for the normal saline group. Comparison of means with the central limit theorem showed there was no significant difference at the 95% confidence interval.

In 1991, Clifton conducted a double-blind, randomized study comparing the effects of heparin solutions (4 IU/mL) and normal saline solutions on patency of arterial catheters. They concluded that heparinised solutions were preferable for reducing the rate of catheter occlusions and other malfunctions and that they did not significantly alter platelet count. However, their study included only 30 patients, and patients were excluded from the study if baseline platelet counts were below  $50 \times 10^9$ /L.<sup>15</sup>

Another study of 35 ICU patients compared use of either heparin (4 IU/mL) or 1.4% sodium citrate, both in 0.9% sodium chloride solution, as a continuous flush solution. Again, platelet counts were similar in the two groups.<sup>16</sup>

The results of the current study showed no statistically significant difference regarding the patients' demographic characteristics such as age and gender between heparinized flush solution group and normal saline group. The most common site of arterial catheters similar to those of the previous studies was radial artery. The proportion of arterial catheters placement sites including radial, brachial and femoral arteries were similar to those of the previous studies and there was no statistically significant difference between the two groups.<sup>17</sup>

In present showed arterial line patency, 100% patients had arterial line patent in 1st POD in both groups. In 2nd POD 86.8% patients had patency in Group A and 76.7% in Group B. At 3<sup>rd</sup> POD 50.0% patients had patency in Group A and 43.3% patients in Group B. No significant difference between two groups (p> 0.05). It is Similar to those of the previous studies.<sup>17</sup> In a current systematic review study Kordzadeh et al determined that, heparinized saline solution may be superior for long term use in arterial line.<sup>18</sup> However the current study assessed this issue in short term period and found no significant difference. Cardiac valve surgery and in the current study there was no statistically significant difference between the two groups, but in the other studies were not surveyed. Variable alteration during three days of patients follow up including catheters patency and other parameters did not significantly change that was similar to the obtained results of the studies in which patients were followed up from several days to 12 months.<sup>17,6,19</sup> Based on the finding of the current double blind randomized clinical

trial, use of heparinized saline solutions compared with normal saline solutions did not prolong the patency of arterial and central venous catheters in short term postoperative period. Finding of the study suggested that normal saline solution can be used as the standard solution to prevent catheter occlusion after cardiac surgery. Therefore, all medical centers are suggested to prevent heparin complications such as allergic reaction, local tissue injury, bleeding, thrombus and thrombocytopenia related to use of heparin in patients with arterial and central venous catheter; normal saline solution can be used to prevent catheter patency as a safe alternative solution.

It seems that the use of heparinized saline and normal saline solution in preventing patency of arterial line has no difference. Our finding only applicable to cardiac valve surgery patients that have arterial line catheters for short time period (3 three days) post-operatively. Therefore these data could not be generalizable to chronic medical situations.

A randomized, double-blind, placebo-controlled trial by Del Cotillo et al. concluded that use of heparinized solutions did not increase catheter patency.<sup>17</sup> Hall et al. found a similar conclusion that heparin as a continuous flush at 3U/ml did not improve the function of arterial lines as compared with saline flush.<sup>14</sup> Leighton concludes that it is practical to maintain arterial lines with normal saline as it has the same benefit as heparin without the risks associated with heparin.<sup>20</sup> However, Clifton *et al.* contradicts the conclusion that normal saline is beneficial.<sup>15</sup> Their study states that use of normal saline as a continuous flush for radial artery catheters is associated with increased frequency of catheter occlusions compared with heparin.

Lapum et al. were neutral in their results and concluded that no significant differences were found between intravascular catheters flushed with heparinized solutions.<sup>21,4,22</sup> Majority of the studies mentioned above used heparin at varying doses (0.25 U/mL or 1U/mL). Studies done to determine the effective dose of heparin conclude that 0.25 U/mL is sufficient for maintenance of arterial catheters.<sup>23</sup> Majority of the available data suggest that heparin saline given as a continuous flush at low doses improved catheter patency. However, heparin as an intermittent flush is ineffective.

## Limitation:

Arterial catheter patency was assessed only for three postoperative days. so, findings regarding prolonged maintenance of indwelling catheters by heparinized or normal saline solutions were not representative. It would be better to have large sample size to predict patency rate of indwelling arterial catheter.

## **References:**

- Ziyaeifard M, Alizadehasl A, Aghdaii N, Sadeghi A, Azarfarin R, Masoumi G, et al. Heparinized and Saline Solutions in the Maintenance of Arterial and Central Venous Catheters after Cardiac Surgery. Anesth Pain Med. 2015; 5(4): e28056.
- 2. Pinsky MR. Hemodynamic monitoring in the intensive care unit. Clin Chest Med.2003; 24(4): 549–60.
- Kim SH, Lilot M, Sidhu KS, Rinehart J, Yu Z, Canales C, et al. Accuracy and precision of continuous noninvasive arterial pressure monitoring compared with invasive arterial pressure: a systematic review and meta-analysis. Anesthesiology.2014; 120(5):1080–97.
- Kulkarni, M, Elsner C, Ouellet D, Zeldin R. Heparinized saline versus normal saline in maintaining patency of the radial artery catheter. Can J Surg.1994;37(1):37– 42.
- Witkowski MC, Moraes MA, Firpo CM. Lack of difference between continuous versus intermittent heparin infusion on maintenance of intra-arterial catheter in postoperative pediatric surgery: a randomized controlled study. Rev Paul Pediatr 2013; 31(4): 516–22.
- Bertoglio S, Solari N, Meszaros P, Vassallo F, Bonvento M, Pastorino S, et al.Efficacy of normal saline versus heparinized saline solution for locking catheters of totally implantable long-term central vascular access devices in adult cancer patients. Cancer Nurs.2012; 35(4):E35–42.
- Junqueira DR, Carvalho M. and Perini E. Heparininduced thrombocytopenia: a review of concepts regarding a dangerous adverse drug reaction. Rev Assoc Med Bras (1992). 2013; 59(2): 161–6.
- Robertson-Malt S, Malt GN, Farquhar V, Greer W. Heparin versus normal saline for patency of arterial lines. Cochrane Database Syst Rev.2014; 5: CD007364.
- 9. Sevrina RC. Effect of Normal Saline Flush on Patency of Peripheral Venous Catheters for the Prevention of Thrombophlebitis–A Randomized Control Trial.Belgaum, Karnataka.2013; KLE University.
- 10. Alexander H. Heparin versus Normal Saline as a Flush Solution. International Journal for the Advancement of Science & Arts.2010; 1: 63-75.
- 11. Ahmed I, Majeed A, Powell R. Heparin induced thrombocytopenia: diagnosis and management update. Postgrad Med J. 2007;83(983): 575–82.

- 12. Warkentin, TE, Greinacher A. Heparin-induced thrombocytopenia: recognition, treatment and prevention: the seventh American College of Chest Physicians (ACCP) conference on antithrombotic and thrombolytic therapy. Chest.2004;126: S311-337.
- Kadidal W, Mayo DJ, Horne MK. Heparin-induced thrombocytopenia (HIT) due to heparin flushes: a report of three cases. J Intern Med.1999; 246:325-9.
- 14. Hall KFM, Bennetts TM, Whitta RK, Welman, L, Rawlins P. Effect of heparin in arterial line flushing solutions on platelet count: a randomized double-blind study. Crit Care Resusc.2006; 8: 294-6.
- Clifton GD, Branson P, Kelly HJ, Dotson LR, Record KE, Phillips BA, Thompson JR. Comparison of normal saline and heparin solutions for maintenance of arterial catheter patency. Heart Lung. 1991; 20(2): 115-118.
- Branson PK, McCoy RA, Phillips BA, Clifton GD. Efficacy of 1.4 percent sodium citrate in maintaining arterial catheter patency in patients in a medical ICU. Chest.1993; 103(3): 882-5.
- Del Cotillo M, Grane N, Llavore M, Quintana S. Heparinized solution vs. saline solution in the maintenance of arterial catheters: a double blind randomized clinical trial. Intensive Care Med. 2008; 34(2): 339-343.

- Kordzadeh A, Austin T, Panayiotopoulos Y. Efficacy of normal saline in the maintenance of the arterial lines in comparison to heparin flush: a comprehensive review of the literature. J Vasc. 2014; 15(2):123–7.
- Arnts IJ, Heijnen JA, Wilbers HT, van der Wilt GJ, Groenewoud JM, Liem KD. Effectiveness of heparin solution versus normal saline in maintaining patency of intravenous locks in neonates: a double blind randomized controlled study. J Adv Nurs. 2011;67(12):2677–85.
- Leighton H. Maintaining the patency of transduced arterial and venous lines using 0.9% sodium chloride. J Intens Critic Care Nurs 1994;10(1): 23-5.
- 21. Lapum J. Patency of arterial catheters with heparinized solutions versus non-heparinized solutions: a review of the literature. Can J Cardiovasc Nurs. 2006;16(2):64-70.
- 22. Peterson F Y, Kirchhoff K T. Analysis of the research about heparinized versus nonheparinized intravascular lines. Heart Lung. 1991;20(6): 631-40.
- 23. Barrington KJ. Umbilical artery catheters in the newborn: effects of heparin. Cochrane Database Syst Rev. 2000; (2) DC000507. Review.