

A CHECKLIST OF ANGIOSPERMIC FLORA OF LALMAI HILLS, COMILLA, BANGLADESH

Md. MUNIR HOSSAIN, Md. ABUL HASSAN AND MOHAMMAD ZASHIM UDDIN

Department of Botany, University of Dhaka, Dhaka-1000, Bangladesh

Key words: Preliminary checklist, angiospermic flora, Lalmai hills, Comilla, Bangladesh

Abstract

The paper includes a checklist containing a total of 151 angiospermic species (127 dicot and 24 monocot) growing in the Lalmai hills, Comilla, Bangladesh, which has been prepared after the survey of the area during the years 2001 and 2002.

Introduction

The Lalmai hills are situated in the district of Comilla, about 8 km to the west of Comilla town. They lie on 23°-21' N latitude and 91°-09' E longitude. The hills are commonly known as Mainamati - Lalmai range. The range includes 50 hillocks (Hossen and Dewan 2004). The range extends from north to south for a distance of 17.71 km from Mainamati to Datya Dighi and is about 40.25 km in circumference.

The area of investigation consists of several hills of different heights and a few valleys. The hills attain a height of 45 m at some places, but the average elevation is 12 m above the plains. The highest peaks are Kalir Bazar and Chand Mura, and there are small springs near these peaks and Bijaynagar. The hills are bounded by the faults on the western and eastern sides. The faults scrap on the east is up-thrown to the west and considerably dissected by drainage channels. On the west there are two parallel faults about 1.5 km apart of which both are up-thrown on the east. The inner fault forms a well-defined valley, while the outer (westernmost) fault has a surface throw in excess of 30 m at several places. Structurally this range is a horst, tilted to the east.

The hills are flat with steep and strongly gullied sides, mainly consisting of unconsolidated sands with a clay capping. The old piedmont apron comprises a narrow fringe of foothills along with the Chittagong-Tripura hills in India with a gently flooding relief. It also comprises the foothills of Lalmai hills, mainly consisting of unconsolidated finer textured and moderately well-drained soils derived from weathered Tertiary or Pleistocene unconsolidated sands and soils. These strongly acid soils occur on gently rolling areas of the Lalmai hills. They have yellowish-brown topsoil overlying a strong brown to yellowish-red structured clay subsoil. Texture of the surface layer varies from sandy-clay-loam to clay-loam. These soils are moderately well-drained with medium to rapid runoff and medium internal drainage, which are droughty in the dry season. The forest enjoys a tropical climate characterized by a period of high precipitation from May to October and six months of relatively dry period from November to April.

The Lalmai supports a moist deciduous Sal forest. It supports a large number of plant species that would contribute to the forest economy of Bangladesh. But the forest of

Lalmai hills area does not have any published flora or manual. At the same time this area is vulnerable and needs to be documented and protected immediately.

Materials and Methods

The present work is based mainly on the fresh materials collected by the authors from the study area through repeated field trips during the year 2001-2002. These are supplemented by the herbarium specimens examined at the Dhaka University Herbarium and Bangladesh National Herbarium. The identification of the specimens was confirmed with the help of Hooker (1872-1897), Prain (1903, 1903a), Brandis (1906), Kanjilal *et al.* (1934, 1938, 1939, 1940), Khan (1977, 1984, 1985), Deb (1981, 1983) and Matthew (1999, 1999a, 1999b). The families have been arranged according to Cronquist (1981). The genera and species under each family are arranged in alphabetical order. The checklist includes wild, naturalized and planted species.

Results

A total of 149 species under 127 genera and 49 families have been identified and recorded in this paper. Magnoliopsida is represented by 43 families, 108 genera and 127 species while Liliopsida is represented by 6 families, 19 genera and 22 species. In Magnoliopsida, the Fabaceae appears to be the largest family having 9 genera and 12 species. In Liliopsida, the Poaceae appears to be the largest family having 8 genera and 11 species.

MAGNOLIOPSIDA (DICOTS)

1. Magnoliaceae

Michelia champaca L., Sp. Pl.: 536(1753). *Local name:* Champa. A medium-sized tree.

2. Ulmaceae

Trema orientalis (L.) Bl., Mus. Bot. Lugd. Bot. 2: 62 (1856). *Celtis orientalis* L., Sp. Pl.: 1044(1753). A small to medium-sized tree.

3. Moraceae

Artocarpus chama Buch.-Ham. ex Wall. Cat.: 4657(1814). *Artocarpus chaplasha* Roxb., Fl. Ind. 3: 525(1832). *Local name:* Chamul. A lofty tree.

A. heterophyllus Lamk., Meth. B. 3: 209(1789). *Local name:* Kanthal. An evergreen tree.

Ficus benghalensis L., Sp. Pl.: 1059(1753). *Local name:* Bot. A large spreading tree.

F. hispida L. f., Suppl. Pl.: 442(1781). *Local name:* Dumur. A low tree.

F. religiosa L., Sp. Pl.: 1059(1753). *Local name:* Ashathwa. A large tree.

Streblus asper Lour., Fl. Cochin. 2: 615(1790). *Local name:* Sheora. A bushy tree.

4. Amaranthaceae

Achyranthes aspera L., Sp. Pl.: 204(1753). *Local name:* Apang. A perennial herb.

Aerva lanata (L.) Juss. ex Schult., Syst. Veg. 15(5): 564(1819). *Achyranthes lanata* L., Sp. Pl. 1: 204(1753). *Local name:* Chaya. An erect herb.

Amaranthus viridis L., Sp. Pl. ed. 2: 1405(1763). *Local name:* Notey Shak. A slender herb.

Cyathula prostrata (L.) Blume, Bijdr.: 549(1825). *Achyranthes prostrata* L., Sp. Pl. ed. 2: 296(1762). An annual herb.

5. Dipterocarpaceae

Dipterocarpus turbinatus Gaertn. f., De Fruct. 3: 51, t. 188, f. 1(1805). *Local name:* Telia Garjon. A lofty evergreen tree.

Shorea robusta Roxb. ex Gaertn. f., De Fruct. 3: 48. t. 186(1805). *Local name:* Sal, Gajari. A tall deciduous tree.

6. Elaeocarpaceae

Elaeocarpus robustus Roxb. [Hort. Beng.: 42(1814). nom. nud.], Fl. Ind. 2: 597(1824). *Local name:* Jalpai. A small tree.

7. Tiliaceae

Grewia serrulata DC. Prodr. 1: 510(1824). *Local name:* Pichandi. A shrub.

Microcos paniculata L., Sp. Pl. 1: 514(1753). *Local name:* Asar. A shrub to small tree.

Triumfetta rhomboidea Jacq. [Enum. Pl. Carib.: 22(1762) nomen], Select. Strip. Am.: 147. t. 90(1763). *Local name:* Banokra. An undershrub.

8. Bombacaceae

Bombax ceiba L., Sp. Pl.: 511(1753). *Local name:* Shimul Tula. A large tree with buttress base.

9. Malvaceae

Hibiscus sabdariffa L., Sp. Pl.: 695(1753). *Local name:* Mesta. A shrub.

Sida acuta Burm. f., Fl. Ind.: 147(1768). *Local name:* Kureta. A herb.

S. cordata (Burm. f.) Borss. in Blumea 14(1): 182(1966). *Melochia cordata* Burm. f., Fl. Ind.: 143(1768). *Local name:* Junka. An annual herb.

S. mysorensis Wt. & Arn., Prodr.: 59(1834). An annual herb.

S. rhombifolia L., Sp. Pl.: 684(1753). An undershrub.

Urena lobata L., Sp. Pl.: 692(1753). *Local name:* Jaruga gota. An undershrub.

10. Lecythidaceae

Careya arborea Roxb., Pl. Corom. 3: 14. t. 218(1811). *Local name:* Kumbi. A low tree.

11. Flacourtiaceae

Flacourtie indica (Burm.f.) Merril, Interpr. Rumph. Herb. Amb.: 377(1917). *Gmelina*

indica Burm. f., Fl. Ind.: 132, t. 39, f. 5(1768). *Local name:* Paniala. A spiny shrub.

12. Caricaceae

Carica papaya L., Sp. Pl.: 1036(1753). *Local name:* Pepe. An herbaceous tree with milky latex.

13. Capparaceae

Cleome viscosa L., Sp. Pl.: 672(1753). *Local name:* Hurh uria. An erect, glandular-pubescent herb.

14. Brassicaceae

Rorippa indica (L.) Hiern., Cal. Afr. Pl. Wel. W. Pt. 1: 26(1896). *Sisymbrium indicum* L., Mant. 1: 93(1767). *Local name:* Ban Sarisha. A small herb.

15. Myrsinaceae

Maesa montana A. DC. in DC., Prodr. 8: 79(1844). *Local name:* Ramjoni. A bushy tree.

16. Mimosaceae

Acacia concinna (Willd.) DC. Prodr. 2: 464(1825). *Mimosa concinna* Willd. Sp. Pl. 4: 1039(1805). *Local name:* Banritha. A shrub with conical and hooked prickles.

A. auriculiformis A. Cunn. ex Benth. in London J. Bot. 1: 377 (1842). *A. moniliformis* Griseb. in Goett. Abh. 19:136(1874). *Local name:* Akashmoni. A middle sized tree.

Albizia procera (Roxb.) Benth. Journ. Bot. 3: 89(1844). *Acacia procera* Roxb., Pl. Corom. 2:12. t. 121(1798). *Local name:* Sil Koroi. A medium sized tree.

Mimosa intisia L., DC., Prod. 2: 429(1832). *Local name:* Bara Lajjabati. A straggling shrub.

M. pudica L., Sp. Pl.: 518(1753). *Local name:* Lajjabati. A prickly woody herb.

17. Caesalpiniaceae

Caesalpinia pulcherrima (L.) Sw. Obs.: 166(1971). *Poinciana pulcherrima* L., Sp. Pl. : 380(1753). *Local name:* Radhachura. A much branched shrub.

Cassia fistula L., Sp. Pl.: 377(1753). *Local name:* Sonalu. A deciduous tree.

C. occidentalis L., Sp. Pl.: 377(1753). *Local name:* Kalkasunda. An annual shrub.

C. tora L., Sp. Pl.: 376(1753). *Local name:* Chakunda. An annual shrubby herb.

Tamarindus indica L., Sp. Pl.: 34(1753). *Local name:* Tentul. An evergreen tree.

18. Fabaceae

Atylosia scarabaeoides (L.) Benth. in Miq., Pl. Jungh.: 245(1852). *Dolichos scarabaeoides* L., Sp. Pl.: 726(1753). *Local name:* Ban Kalai. A branched herb.

Butea monosperma (Lam.) Taub. in Engl. & Prantl, Pflanzenfam. 3(3): 365(1984). *Erythrina monosperma* Lam., Encycl. 1: 391(1783). *Local name:* Palash. A deciduous tomentose tree.

Cajanus cajan (L.) Millsp. in Field Columb. Mus. Bot. 2: 53(1900). *Cytisus cajan* L., Sp. Pl.: 739(1753). *Local name:* Arhar. An erect herb.

Centrosema pubescens Benth., Comm. Legum. Gen.: 55(1837). A climber.

Crotalaria calycina Schrank, Pl. Rar. Monac.: t. 12(1819). An erect herb.

C. pallida Aiton, Hort. Kew. 3: 20(1789). *Local name:* Jhanjhani. A glabrescent undershrub.

Dalbergia sissoo Roxb., [Hort. Beng.: 53(1814), nom. nud. &] ex DC. Prodr. 2: 416(1825). *Local name:* Shishu. A large deciduous tree.

Desmodium gangeticum (L.) DC. Prodr. 2: 327(1825). *Hedysarum gangeticum* L., Sp. Pl.: 746(1753). *Local name:* Satpani. A suberect undershrub.

D. pulchellum (L.) Benth., Fl. Hongk.: 83(1861). *Hedysarum pulchellum* L., Sp. Pl.: 747(1753). *Local name:* Juta-Salpani. A shrub.

D. triflorum (L.) DC. Prodr. 2: 334(1825), excl. syn. cit. *Hedysarum triflorum* L., Sp. Pl.: 749(1753), p.p. *Local name:* Kulaliya. A prostrate herb.

Erythrina variegata L., in Stickm. Herb. Amboin.: 10(1754). *Local name:* Mandar. A deciduous prickly tree.

Flemingia strobilifera R. Br. in Ait., Hort. Kew. ed. 2(4): 350(1812). An erect shrub.

19. Lythraceae

Lagerstroemia speciosa Pers., Syn: 2(1937). *Local name:* Jarul. A large deciduous tree.

20. Myrtaceae

Eucalyptus citriodora Hook. in Mitch. Journ. Trop. Austral.: 235 (1848). A tall tree.

Psidium araca Raddi, Opusc. Sc. 4: 252(1823). *Local name:* Tok Peyara. A bushy shrub.

P. guajava L., Sp. Pl.: 470(1753). *Local name:* Peyara. A large shrub or small tree.

Syzygium cumini (L.) Skeels in U.S. Dept. Agr. Bull. 248: 25(1912). *Myrtus cumini* L., Sp. Pl.: 471(1753). *Local name:* Jam. A large evergreen tree.

S. fruticosum (Roxb.) DC., Prodr. 3: 260(1828). *Eugenia fruticosa* Roxb., Fl. Ind. ed. 2(2): 487(1832). *Local name:* Khudijam. A small tree.

21. Onagraceae

Ludwigia hyssopifolia (G. Don) Exell. Garica de Orta 5: 471(1957). *Jussiaea hyssopifolia* G. Don, Gen. Syst. 2: 693(1832). A branched herb.

22. Melastomaceae

Melastoma malabathricum L., Sp. Pl.: 390(1753). *Local name:* Bantepata. A shrub.

23. Combretaceae

Terminalia arjuna (Roxb.) Wight & Arn., Prodr. 314(1834). *Pentaptera arjuna* Roxb., [Hort. Beng. 34(1814), nom. nud.] Fl. Ind. 2: 440(1832). *Local name:* Arjun. A large tree.

24. Loranthaceae

Dendrophthoe falcata (Linn. f.) Etting. in Denksehr. Akad. Wissen. Math.-Naturw. 32: 52 (1872). *Loranthus falcatus* L. f., Suppl.: 221(1781). *Local name:* Bancha. A parasitic plant on Mango tree with terete branchlets.

25. Euphorbiaceae

Antidesma ghaesembilla Gaertn., De Fruct. 1: 189, t. 39(1788). *Local name:* Timtoa. A small tree.

Bridelia stipularis Bl. Bijd.: 597(1826). A shrub.

Glochidion multiloculare Muell. - Arg. in DC., Prodr. 15: 279(1866). *Local name:* Aniatory. A shrub.

Macaranga denticulata (Bl.) Muell. – Arg. in DC., Prodr. 15(2): 1000(1866). *Mappa denticulata* Bl., Bijdr.: 625 (1825). *Local name:* Jhakura. A small tree.

Manihot esculenta Crantz, Inst. 1: 167(1766). *Local name:* Kasava, Simul Alu. A sub-herbaceous shrub.

Phyllanthus embelica L., Sp. Pl.: 982(1753). *Local name:* Amloki. A medium-sized deciduous tree.

P. fraternus Webster, Contr. Gray. Herb. 176: 53(1955). *Local name:* Bhui amla. An erect glabrous herb.

P. reticulatus Poir., Encycl. 5: 298(1804). *Local name:* Chitki. A large scandent shrub.

Ricinus communis L., Sp. Pl.: 1007(1753). *Local name:* Redhi. An evergreen soft wooded shrub.

26. Rhamnaceae

Zizyphus rugosa Lam., Encycl. 3: 319(1789). *Local name:* Jangli Boroi. A small tree with stout thorns.

27. Anacardiaceae

Lannea coromandelica (Houtt.) Merr., J. Arnold. Arbor. 19: 353(1983). *Dialium coromandelicum* Houtt., Nat. Hist. 2: 39. t. 5. f. 2(1774). *Local name:* Jiga, Jeol. A middle-sized deciduous tree.

Mangifera indica L., Sp. Pl.: 200(1753). *Local name:* Am. A tree.

28. Meliaceae

Aphanamixis polystachya (Wall.) Parker in Ind. For. 57: 486(1931). *Aglaia polystachya* Wall. in Roxb., Fl. Ind. 2: 429(1824). *Local name:* Pitraj. A tree with dense spreading crown.

Azadirachta indica A. Juss. in Mem. Mus. Paris 19: 220. t. 2(1830). *Local name:* Nim. A large deciduous tree.

Melia azedarach L., Sp. Pl.: 384(1753). *Local name:* Ghora Nim. A middle-sized deciduous tree.

Swietenia mahagoni (L.) Jacq. Enum. Pl. Carib.: 4(1760). *Swietenia mahagoni* L., Sp. Pl. ed. 2: 271(1762). *Local name:* Mehagani. A large tree.

29. Rutaceae

Aegle marmelos (L.) Correa in Trans. Linn. Soc. 5: 222(1800). *Crataeve marmelos* L., Sp. Pl.: 444(1753). *Local name:* Bel. A small deciduous tree with erect stout axillary thorns.

Glycosmis pentaphylla (Retz.) A. DC., Prod. 1: 538(1824). *Limonia pentaphylla* Retz., Obs. Bot. 5: 24(1788). *Local name:* Datmajan. An evergreen much-branched shrub.

Micromelum minutum (Forst.f.) Wight & Arn., Prod. 1: 448(1834). *Limonia minuta* Forst. f., Prod.: 33(1786). *Local name:* Bankutch. A small unarmed tree.

Zanthoxylum rhetsa (Roxb.) DC., Prod.: 728(1824). *Fagara rhetsa* Roxb., 1. c. 437 (1820). *Local name:* Bajrang. An evergreen small tree.

30. Oxalidaceae

Oxalis corniculata L., Sp. Pl.: 435(1753). *Local name:* Amrul Shak. A procumbent herb with long, slender, creeping stems.

31. Apiaceae

Centella asiatica (L.) Urban in Mart., Fl. Bras. 11: 287(1879). *Hydrocotyle asiatica* L., Sp. Pl. 1: 234(1753). *Local name:* Thankuni.

A trailing herb.

32. Apocynaceae

Alstonia scholaris (L.) Brown, Mem. Wern. Nat. Hist. Soc. 1: 76(1811). *Alstonia scholaris* L., Mant. Pl. 1: 53(1767). *Local name:* Chhatim. A large deciduous tree.

Holarrhena pubescens (Buch. – Ham.) Wall. ex G. Don, Gen. Syst. 4: 78(1838). *Echinites pubescens* Buch. –Ham. in Trans., Linn. Soc. 13: 524(1822). *Local name:* Kurchi. A small tree.

Rauvolfia serpentina Benth. ex Kurz, For. Fl. Brit. Burma 2: 171(1877). *Local name:* Sarpagandha. A woody herb.

33. Asclepiadaceae

Calotropis gigantea (L.) Dryand. in Aiton, Hort. Kew. ed. 2(2): 78(1811). *Asclepias gigantea* L., Sp. Pl.: 214(1753). *Local name:* Akanda. A large shrub with milky juice.

Hemidesmus indicus (L.) R. Br. in Aiton, Hort. Kew. ed. 2(2): 75(1811). *Periploca indica* L., Sp. Pl.: 211(1753). *Local name:* Annantamul. A prostrate or slightly twining undershrub with aromatic roots.

34. Solanaceae

Solanum lasiocarpum Dunal, Hist. Solanum: 222 (1813) *Solanum indicum* L., Sp. Pl.: 187(1753). *Local name:* Gurkamai. A much branched undershrub.

S. nigrum L., Sp. Pl.: 186(1753). *Local name:* Puti Begun. A herb.

S. torvum Sw., Nov. Gen. Sp. Pl.: 47(1788). *Local name:* Gota Begun. A shrub.

35. Convolvulaceae

Ipomoea fistulosa Mart. ex Choisy in DC., Prodr. 9: 349(1845). *Local name:* Dholkalmi. A shrub containing milky juice.

Merremia umbellata (L.) Hallier. f., Bot. Jahrb. 16: 552(1893). *Convolvulus umbellatus* L., Sp. Pl. : 155(1753). *Local name:* Sada kalmi. A herbaceous twiner.

36. Cuscutaceae

Cuscuta reflexa Roxb., Pl. Corom. 2: 3, t. 104(1798). *Local name:* Swarnalata. A twining parasitic herb.

37. Boraginaceae

Heliotropium indicum L., Sp. Pl. : 130(1753). *Local name:* Hatisur. An erect herb.

38. Verbenaceae

Clerodendrum viscosum Vent., Jard. Malm. 1: t. 25(1803). *Local name:* Bhant. A softy tomentose woody herb.

Gmelina arborea Roxb., Fl. Ind. 3: 84 (1832). *Local name:* Gamari. A deciduous unarmed tree.

Lantana camara L., Sp. Pl. ed. 1, 2: 627(1753) var. *camara* Schau in Mart., Fl. Bras., 9: 256(1851). A branching shrub.

Premna bengalensis Clarke in Hook. f., Fl. Brit. Ind. 4: 577(1882). *Local name:* Dauli. A tree.

Vitex peduncularis Wall. Cat.: 1753(1825). *Local name:* Horina. A middle-sized tree.

39. Lamiaceae

Gomphostemma parviflorum Wall. [Cat. 60, n. 215(1830): nom. nud]. *Local name:* Jateribormala. A perennial herb.

Hyptis suaveolens Poit, Ann. Mus. Natl. Hist. Nat. 7: 472 t. 29, f. 2(1806). *Local name:* Tokma. An aromatic herb.

Leucas aspera Spreng. Syst. 2: 743(1825). *Local name:* Swetadrone, Dandakalos. A herb.

Ocimum sanctum Linn., Mart. 1: 85(1767). *Local name:* Tulsi. A much branched, softly hairy herb.

40. Scrophulariaceae

Scoparia dulcis L., Sp. Pl.: 116(1753). *Local name:* Bandhoney.

An erect or ascending herb.

Torenia vagans Roxb., Fl. Ind. 3: 96(1832).

A herb.

41. Acanthaceae

Justicia gendarussa Burm. f., Fl. Ind.: 10(1768). *Local name:* Jagatmadan. An undershrub.

Lepidagathis incurva F. Ham. ex D. Don. Prodr.: 119(1825). A herb.

Nelsonia canescens (Lam.) Spreng. in L., Sys. Veg. ed. 16, 1: 42(1824). *Justicia canescens* Lam., Tab. Encycl. Method. Bot. 1: 40(1791). *Local name:* Paramul. A trailing herb.

Phaulopsis dorsiflora (Retz.) Sant. in Kew Bull. 1948: 276(1948). *Ruellia dorsiflora* Retz., Obs. 6: 31(1791). A much branched hairy herb.

Rungia pectinata (L.) Nees in DC., Prodr. 11: 469(1847). *Justicia pectinata* L. Amoen. Acad. 4: 293(1759). *Local name:* Pindi. A much branched suberect herb.

Strobilanthes scaber Nees in Wall., Pl. As. Rar. 3: 84(1832). A herb.

42. Rubiaceae

Borreria articulatis (Linn.f.) Williams, Bull. Herb. Boissier (Ser.) 2, 5: 956(1905). *Spermacoce articulatis* Linn. f., Suppl.: 119(1781). *Local name:* Madnabata kadu. A procumbent rough hispid herb.

Hedyotis scandens Roxb., Hort. Beng.: 10(1814), nom. nud. & Fl. Ind. 1: 364(1820). *Local name:* Lataguji. A climber.

Ixora cunifolia Roxb., Fl. Ind. 1: 385(1820). *Local name:* Beophul. A shrub.

Mussaenda roxburghii Hook. f., Fl. Brit. Ind. 3: 87(1880). *Local name:* Silchaonri. An erect large shrub.

43. Asteraceae

Ageratum conyzoides L., Sp. Pl.: 839(1753). *Local name:* Fulkuri. A herb.

Blumea lacera (Burm. f.) DC. in Wight., Clarke, Comp. Ind.: 76(1876). *Conyza lacera* Burm. f., Fl. Ind.: 180, t. 59. f. 1(1786). *Local name:* Barakukshima. An erect aromatic herb.

Elephantopus scaber L., Sp. Pl.: 814(1753). *Local name:* Gejashak. An erect herb with creeping rootstock..

Eupatorium odoratum Linn., Syst. Nat. ed. 10: 1205(1759). *Local name:* Germanlata, Assamlata. A herb.

Gnaphalium indicum auct. non L., C. B. Clarke, Comp. Ind.: 114(1876). *Local name:* Bara Kamra. A wooly herb.

Mikania cordata (Burm.) Robinson, Contr. Gray herb. 104: 65(1934). *Eupatorium cordatum* Burm., Fl. Ind.: 176, t. 58, fig. 2(1768). *Local name:* Refugee lata. A herb.

Spilanthes calva DC. in Wight, Contrib.: 19(1834). *Local name:* Marhatitiga. An annual herb.

Synedrella nodiflora (L.) Gaertn., Fruct. 2: 456. t. 171. f. 7(1791). *Verbesina nodiflora* L., Amoen. Acad. 4: 290(1759). An erect branching annual herb.

Vernonia cinerea (L.) Lees., Linnaea 4(1): 291(1829). *Conyzza cinerea* L., Sp. Pl.: 862(1753). *Local name:* Kuksim. An erect herb.

LILIOPSIDA (MONOCOTS)

1. Arecaceae

Borassus flabellifer L., Sp. Pl.: 1187(1753). *Local name:* Tal. A tall palm.

Cocos nucifera L., Sp. Pl.: 1188(1753). *Local name:* Narikel. A coconut palm.

Phoenix sylvestris (L.) Roxb., Fl. Ind. 3: 787(1832). *Elate sylvestris* L., Sp. Pl.: 1189(1753). *Local name:* Khejur. A tall palm.

2. Cyperaceae

Cyperus iria L., Sp. Pl. ed. 1: 45(1753). *Local name:* Barachancha. An annual herb.

C. rotundus L., Sp. Pl.: 45(1753). *Local name:* Motha ghas. A perennial grass.

Fimbristylis miliacea (L.) Vahl, Enum. Pl. 2: 287(1806). *Scirpus miliaceus* L., Syst. ed. 10: 868(1759). *Local name:* Bara javani. A perennial, tufted herb.

Kyllinga monocephala Rottboel., Descr. Ic. Rar. Nov. Pl.: 13, t. 4, f. 4(1773). *Local name:* Nirbirshaghaz. A perennial herb, rhizome covered with scale.

Mariscus sumatrensis (Retz.) Raynal, Adansonia 15: 110(1975). *Kyllinga sumatrensis* Retz., Obs. Bot. 4: 13(1786). *Local name:* Bara guthubi. A perennial herb, stoloniferous in some cases.

Scleria levis Retz., Obs.: 4(1786). A perennial herb with short rhizome.

3. Poaceae

Bambusa balcooa Roxb., Fl. Ind. 1: 196(1820). *Local name:* Barakbans. A tall stout, densely caespitose bamboo.

Cynodon dactylon (L.) Pers. Syn. Pl. 1: 85(1805). *Panicum dactylon* L., Sp. Pl.: 58(1753). *Local name:* Durbaghas. A perennial grass.

Eleusine indica (Linn.) Gaertn., Fruct. 1: 8(1789). *Cynosurus indicus* Linn., Sp. Pl.: 72(1753). *Local name:* Malankuri. A tufted annual grass.

Eragrostis ciliaris (All) Janchen, Mitt. Naturw. Univ. Wien 5 (9): 110 (1907). *E. major* Host. Gram. Austr. 4: 14. t. 24 (1809). An annual grass.

E. unioloides (Retz.) Nees ex Steud., Syn. Pl. Glum. 1: 264(1854). *Poa unioloides* Retz., Obs. Bot. 5: 19(1789). An annual grass.

Melocanna bambusoides Trin. in Spreng., Neue Enterdeck 2: 45(1821). An evergreen unarmed bamboo.

Panicum brevifolium L., Sp. Pl.: 59(1753). A slender decumbent grass.

P. notatum Retz., Obs. Bot. 4: 18(1786). A tufted perennial grass.

P. paludosum Roxb., Fl. Ind. 1: 310(1820). *Local name:* Barati. A perennial grass.

P. repens L., Sp. Pl. ed. 2: 87(1762). *Local name:* Dhanighas. A perennial grass.

Paspalidium flavidum (Retz.) A. Camus in Lecomte, Fl. Gen. de l'Indo-Chine 7: 419(1922). *Panicum flavidum* Retz., Obs. Bot. 4: 15(1876). An annual grass.

Setaria glauca (Linn.) P. Beauv., Ess. Agrost.: 51, 169, 178(1812). *Panicum glaucum* Linn., Sp. Pl. ed. 1: 56(1753). A tufted annual grass.

4. Zingiberaceae

Curcuma zedoaria (Christm.) Roscoe., Trans. Linn. Soc. London 8: 354(1807). *Amomum zedoaria* Christm. in Christm. & Panzer, Linn. Pflanzensyst. 5: 12(1779). *Local name:* Shoti. A stemless herb with pale yellow-white rhizome.

5. Costaceae

Costus speciosus (Koenig) Smith, Trans. Linn. Soc. London 1: 249(1791). *Banksea speciosa* Koenig in Retz., Obs. Bot. 3: 75(1783). A herb, 2-3m long.

6. Smilacaceae

Smilax zeylanica L., Sp. Pl.: 1029(1753). *Local name:* Kumari lata. A large prickly climber.

References

- Brandis, D. 1906. Indian Trees (2nd Repr. 1978). Bishen Singh Mahendra Pal Singh, Dehra Dun, 767 pp.
- Cronquist, A. 1981. An integrated system of classification of flowering plants. Columbia University Press, New York, 1262 pp.
- Deb, D.B. 1981. The Flora of Tripura State 1 : 1-50. R.K. Jain, Today & Tomorrow's Printers and Publishers, New Delhi.
- Deb, D.B. 1983. The Flora of Tripura State 2 : 1-601. R.K. Jain, Today & Tomorrow's Printers and Publishers, New Delhi.
- Hossen, M.M. and Dewan, T.A. 2004. Moinamoti-Lalmai. Archeological Division, Ministry of Culture and Heritage. 60 pp.
- Hooker, J.D. 1872-1897. The Flora of British India Vols. 1-7 (Repr. 1973). Bishen Singh Mahendra Pal Singh, Dehra Dun.

- Kanjilal, U.N., Das, A., Kanjilal, P.C. and De, R.N. 1939. Flora of Assam **3** : 1-578 (Ind. Repr. 1982). A Von Book Company, Delhi.
- Kanjilal, U.N., Kanjilal, P.C. and Das, A. 1934. Flora of Assam **1** : 1-386 (Ind. Repr. 1982). A Von Book Company, Delhi.
- Kanjilal, U.N., Kanjilal, P.C. and Das, A. 1938. Flora of Assam **2** : 1-409 (Ind. Repr. 1982). A Von Book Company, Delhi.
- Kanjilal, U.N., Kanjilal, P.C., De, R. N. and Das, A. 1940. Flora of Assam **4** : 1-377 (Ind. Repr. 1982). A Von Book Company, Delhi.
- Khan, M. S. 1977. Onagraceae. In: Khan, M. S. (ed.). Flora of Bangladesh. Fasc. **6** : 1-10. Bangladesh National Herbarium and Bangladesh Agricultural Research Council, Dhaka.
- Khan, M. S. 1984. Dipterocarpaceae. In: Khan, M. S. (ed.). Flora of Bangladesh. Fasc. **25** : 1-15. Bangladesh National Herbarium and Bangladesh Agricultural Research Council, Dhaka.
- Khan, M. S. 1985. Convolvulaceae. In: Khan, M. S. (ed.). Flora of Bangladesh. Fasc. **30** : 1-59. Bangladesh National Herbarium and Bangladesh Agricultural Research Council, Dhaka.
- Matthew, K. M. 1999. The flora of the Palni Hills, South India **1** : 1-575. The Rapinat Herbarium Tiruchirapalli, India.
- Matthew, K. M. 1999a. The flora of the Palni Hills, South India **2** : 576-1196. The Rapinat Herbarium Tiruchirapalli, India.
- Matthew, K. M. 1999b. The flora of the Palni Hills, South India **3** : 1197-1880. The Rapinat Herbarium Tiruchirapalli, India.
- Prain, D. 1903. Bengal Plants **1**: 1-487 (Ind. Repr. 1963). Botanical Survey of India, Calcutta.
- Prain, D. 1903a. Bengal Plants **2**: 488-1013 (Ind. Repr. 1963). Botanical Survey of India, Calcutta.